
Table 8C 2002 Pediatric Nutrition Surveillance (1) California

Page: Run Date: 8 / 21 / 03

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age (3)			
	Birthweight (4)			Height and Weight								
		Low %	High %		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)			Anemia Low Hb/Hct (7)	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% n <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	15,825	7.0	10.4	79,702	4.8	7.0	12.3	28,704	15.2	13.4	38,533	11.7
Black, Not Hispanic	8,217	12.2	6.3	47,190	6.6	6.4	14.3	19,215	14.2	13.0	22,962	16.5
Hispanic	112,084	6.1	9.3	583,889	4.7	4.7	17.5	237,783	16.9	18.6	363,388	13.0
American Indian/Alaskan Native	362	6.1	11.0	2,340	5.0	5.6	19.3	959	19.5	20.8	1,341	12.5
Asian/Pacific Islander	6,637	7.4	5.4	43,633	5.6	5.9	13.6	14,676	14.5	15.0	19,224	13.5
All Other	14,551	7.7	9.1	94,002	5.3	7.0	13.7	32,981	15.6	15.2	37,634	13.4
Total	157,676	6.7	9.1	850,756	4.9	5.3	16.2	334,318	16.3	17.3	483,082	13.1
Age												
0 - 11 Months	_	-	-	344,797	5.7	7.0	13.3	-	*	*	79,546	16.9
12 - 23 Months	-	-	-	171,641	5.4	4.2	20.1	-	*	*	116,757	14.4
24 - 35 Months	-	-	-	115,176	4.1	4.6	16.1	115,176	15.8	16.1	94,957	15.2
36 - 47 Months	-	-	-	103,025	4.0	4.0	17.7	103,025		17.7	90,237	11.4
48 - 59 Months	-	-	-	116,117	3.5	3.7	18.2	116,117	16.6	18.2	101,585	8.2
Total	-	-	-	850,756	4.9	5.3	16.2	334,318	16.3	17.3	483,082	13.1

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

2002 Pediatric Nutrition Surveillance California

(1)

Page: Run Date: 10 / 6 / 03

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged 5 to <20 Years Standard Year (School Age Coding)

Growth and A	nemia Ind	licators b	y Race	Ethnicity	or Age	(3)	
		Short Stature (4)	Under- weight (5)			Anemia Low Hb/Hct (6)	
	Number	% <5th	% <5th	% 85th-<95th	% <u>></u> 95th	Number	%
Race/Ethnicity							
White, Not Hispanic	46,664	6.0	3.1	16.7	17.7	34,688	12.4
Black, Not Hispanic	38,428	4.1	2.6	17.2	18.8	28,859	21.0
Hispanic	342,337	6.5	2.4	18.8	22.2	326,786	10.8
American Indian/Alaskan Native	1,455	4.9	2.1	20.5	24.8	1,239	11.3
Asian/Pacific Islander	32,276	12.3	5.0	13.8	14.2	19,110	14.0
All Other	50,983	7.5	3.0	17.5	20.0	29,557	13.7
Total	512,143	6.7	2.7	18.1	20.8	440,239	12.0
Age							
5 - 8 Years	217,422	5.5	3.3	16.8	18.6	187,390	12.1
9 - 11 Years	122,354	5.3	2.6	19.2	24.2	107,377	11.0
12 - 14 years	101,376	7.5	2.0	19.6	22.8	87,039	11.3
15 - 19 Years	70,991	11.7	2.0	17.8	18.5	58,433	14.2
Total	512,143	6.7	2.7	18.1	20.8	440,239	12.0



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for height-for-age.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies children at risk of overweight. (6) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

Percentages are not calculated if < 100 records are available for analysis after exclusions.